Standardized Electronic Module - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5963-01-039-6910

| Overall Length:                         |
|---|
| 2.620 inches                            |
| Overall Height:                         |
| 0.290 inches                            |
| Overall Width:                          |
| 1.950 inches                            |
| Environmental Protection:               |
| Salt spray resistant and vibration      |
| Operating Tempurature Range:            |
| +0.0/+60.0 degrees celsius              |
| Average Life Rating:                    |
| 500.0                                   |
| Storage Tempurature Range:              |
| -62.0/+125.0 degrees celsius            |
| Average Life Measurement:               |
| Hours                                   |
| Average Life Rating In Hours:           |
| 500.0                                   |
| Basic Shape Style:                      |
| Rectangular or square                   |
| Inclosure Type:                         |
| Encased                                 |
| Operating Control Method:               |
| Automatic                               |
| Installation Design:                    |
| Module                                  |
| Control Type:                           |
| Remote                                  |
| Circuit Construction Type:              |
| Solid state                             |
| Signal Voltage Rating Per Channel:      |
| 800.000 millivolts interstage           |
| Signal Data Type Per Channel:           |
| 2nd input channel digital err-100       |
| Connection Type And Location:           |
| Connector, plug bottom                  |
| Connection Contact Type And Quantity:   |
| 1 connector, plug external              |
| External Dc Operating Voltage In Volts: |
| -15.0 1st voltage err-100               |
| Special Features:                       |
| Key code shu                            |

Standardized Electronic Module - Page 2 of 2



## **Special Markings:**

Generator, function, lsb, analog

## **Test Data Document:**

81349-mil-m-28787 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-m-28787/187 government specification

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

Fiig:

A32200