

NSN 5963-01-045-5472 Standardized Electronic Module - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5963-01-045-5472 **Overall Length:** 2.620 inches **Overall Height:** 0.290 inches **Overall Width:** 1.950 inches **Environmental Protection:** Salt spray resistant and vibration **Operating Tempurature Range:** +0.0/+60.0 degrees celsius **Average Life Rating:** 500.0 **Storage Tempurature Range:** -62.0/+125.0 degrees celsius **Average Life Measurement:**

Hours

Average Life Rating In Hours:

500.0

Basic Shape Style:

Rectangular or square

Inclosure Type:

Encased

Operating Control Method:

Automatic

Installation Design:

Module

Control Type:

Remote

Circuit Construction Type:

Solid state

Signal Voltage Rating Per Channel:

Between 600.000 millivolts input and 1.050 volts interstage

Signal Data Type Per Channel:

5th input channel digital err-100

Connection Type And Location:

Connector, plug bottom

Maximum Power Drain Rating:

1.3 watts

Connection Contact Type And Quantity:

1 connector, plug external

Special Features:

Key code kdf

NSN 5963-01-045-5472

Standardized Electronic Module - Page 2 of 2



Diode, pairs

Test Data Document:

81349-mil-m-28787 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-m-28787/49 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200