

View Online at <https://aerobasegroup.com/nsn/5963-01-057-8482>

Overall Length:

2.620 inches

Overall Height:

1.950 inches

Overall Width:

0.290 inches

Environmental Protection:

Salt spray resistant and vibration

Operating Temperature Range:

+0.0/+60.0 degrees celsius

Average Life Rating:

500.0

Storage Temperature Range:

-62.0/+125.0 degrees celsius

Average Life Measurement:

Hours

Average Life Rating In Hours:

500.0

Basic Shape Style:

Rectangular or square

Inclosure Type:

Encased

Operating Control Method:

Automatic

Installation Design:

Module

Control Type:

Remote

Circuit Construction Type:

Solid state

Signal Voltage Rating Per Channel:

2.400 volts any acceptable 2.400 volts any acceptable 2.400 volts any acceptable 2.400 volts any acceptable 2.400 volts any acceptable
2.400 volts any acceptable 2.400 volts any acceptable 2.400 volts any acceptable

Signal Data Type Per Channel:

1st input channel analog voltage err-100 2nd input channel analog voltage err-100 3rd input channel analog voltage err-100 4th input
channel analog voltage err-100 5th input channel analog voltage err-100 6th input channel analog voltage err-100 7th input channel analog
voltage err-100 8th input channel analog voltage err-100

Connection Type And Location:

Connector, plug bottom

Maximum Power Drain Rating:

800.0 milliwatts

Connection Contact Type And Quantity:

1 connector, plug external

External Dc Operating Voltage In Volts:

-15.0 1st voltage err-100 15.0 2nd voltage err-100

Special Features:

Key code tsy

Special Markings:

Analog switch

Test Data Document:

10001-2833417 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200