## NSN 5963-01-057-8504

Standardized Electronic Module - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5963-01-057-8504 **Overall Length:** 2.620 inches **Overall Height:** 0.290 inches **Overall Width:** 1.950 inches **Environmental Protection:** Salt spray resistant and vibration **Operating Tempurature Range:** -55.0/+100.0 degrees celsius **Average Life Rating:** 500.0 **Storage Tempurature Range:** -62.0/+125.0 degrees celsius **Average Life Measurement:** Hours **Average Life Rating In Hours:** 500.0 **Basic Shape Style:** Rectangular or square **Inclosure Type:** Encased **Operating Control Method:** Automatic **Installation Design:** Module **Control Type:** Local **Circuit Construction Type:** Solid state Impedance Rating Per Channel: 25.000 ohms 2nd output channel err-100 **Signal Data Type Per Channel:** 4th input channel analog voltage err-100 **Connection Type And Location:** Connector, plug bottom **Maximum Power Drain Rating:** 600.0 milliwatts **Connection Contact Type And Quantity:** 1 connector, plug external

External Dc Operating Voltage In Volts: -15.0 2nd voltage err-100

## NSN 5963-01-057-8504

**Fiig:** A32200

Standardized Electronic Module - Page 2 of 2



Special Features:
Key code pak
Special Markings:
Amplifier module, programmable
Test Data Document:
10001-2833548 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
Yes - demil/mli