

View Online at <https://aerobasegroup.com/nsn/5963-01-057-8648>

Overall Length:

5.620 inches

Overall Height:

1.950 inches

Overall Width:

0.290 inches

Environmental Protection:

Salt spray resistant and vibration

Operating Temperature Range:

+0.0/+60.0 degrees celsius

Average Life Rating:

500.0

Storage Temperature Range:

-632.0/+125.0 degrees celsius

Average Life Measurement:

Hours

Average Life Rating In Hours:

500.0

Basic Shape Style:

Rectangular or square

Inclosure Type:

Encased

Operating Control Method:

Automatic

Installation Design:

Module

Control Type:

Remote

Circuit Construction Type:

Solid state

Signal Voltage Rating Per Channel:

10.000 volts input

Overall Gain:

625.0 millivolts/1.0 volts

Impedance Rating Per Channel:

26.800 kilohms 1st input channel err-10033.200 kilohms 2nd input channel err-10033.200 kilohms 3rd input channel err-10010.000 ohms 1st output channel err-10010.000 ohms 3rd output channel err-10010.000 ohms 4th output channel err-100

Signal Data Type Per Channel:

Input channel analog voltage

Connection Type And Location:

Connector, plug bottom

Maximum Power Drain Rating:

500.0 milliwatts

Connection Contact Type And Quantity:

1 connector, plug external

External Dc Operating Voltage In Volts:

-15.0 1st voltage err-10015.0 2nd voltage err-100

Special Features:

Key code jaf

Special Markings:

Filter and amplifier

Test Data Document:

10001-2833443 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200