

View Online at https://aerobasegroup.com/nsn/5963-01-059-5506

C	Overall Length:
2	2.620 inches
C	Overall Height:
(	0.290 inches
(	Overall Width:
1	1.950 inches
E	Environmental Protection:
ŝ	Salt spray resistant and vibration
(	Operating Tempurature Range:
+	⊦0.0/+60.0 degrees celsius
1	Average Life Rating:
5	500.0
ę	Storage Tempurature Range:
-	62.0/+125.0 degrees celsius
1	Average Life Measurement:
ł	Hours
	Average Life Rating In Hours:
Ę	500.0
E	Basic Shape Style:
F	Rectangular or square
I	nclosure Type:
E	Encased
(	Operating Control Method:
ŀ	Automatic
I	nstallation Design:
ľ	Module
(	Control Type:
L	Local
(	Circuit Construction Type:
	Solid state
ę	Signal Voltage Rating Per Channel:
	300.000 millivolts interstage
	Signal Data Type Per Channel:
	4th input channel digital err-100
	Connection Type And Location:
	Connector, plug bottom
	Maximum Power Drain Rating:
	969.0 milliwatts
	Connection Contact Type And Quantity:
	l connector, plug external
	External Dc Operating Voltage In Volts:
-	12.0 1st voltage err-100

Standardized Electronic Module - Page 2 of 2



## **Special Features:**

Key code uyv

## **Special Markings:**

Read-only memory

## **Test Data Document:**

10001-2833542 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

Fiig:

A32200