NSN 5963-01-062-2189

Standardized Electronic Module - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5963-01-062-2189 **Overall Length:** 2.620 inches **Overall Height:** 0.290 inches **Overall Width:** 1.950 inches **Environmental Protection:** Salt spray resistant and vibration **Operating Tempurature Range:** +0.0/+60.0 degrees celsius **Average Life Rating:** 500.0 **Storage Tempurature Range:** -62.0/+125.0 degrees celsius **Average Life Measurement:** Hours **Average Life Rating In Hours:** 500.0 **Basic Shape Style:** Rectangular or square **Inclosure Type:** Encased **Operating Control Method:** Automatic **Installation Design:** Module **Control Type:** Remote **Circuit Construction Type:** Solid state **Signal Voltage Rating Per Channel:** Between 500.000 millivolts input and 650.000 millivolts interstage **Signal Data Type Per Channel:** 2nd output channel digital err-100 **Connection Contact Type And Quantity:**

Connection Type And Location: Connector, plug bottom **Maximum Power Drain Rating:** 990.0 milliwatts 1 connector, plug external **External Dc Operating Voltage In Volts:** 5.0 single voltage

NSN 5963-01-062-2189

Standardized Electronic Module - Page 2 of 2



Special Features:		
Key code byf		

Test Data Document:

Memory, random access, digital

Special Markings:

81349-mil-m-28787 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-m-28787/80 government specification

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A32200