NSN 5963-01-210-4038

Standardized Electronic Module - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5963-01-210-4038



Overall Length: 2.620 inches **Overall Height:** 1.950 inches **Overall Width:** 0.290 inches **Environmental Protection:** Salt spray resistant and vibration **Operating Tempurature Range:** +0.0/+60.0 degrees celsius **Average Life Rating:** 500.0 **Storage Tempurature Range:** -62.0/+125.0 degrees celsius **Average Life Measurement:** Hours **Average Life Rating In Hours:** 500.0 **Basic Shape Style:** Rectangular or square **Inclosure Type:** Encased **Operating Control Method:** Automatic Installation Design: Module **Control Type:** Remote **Circuit Construction Type:** Solid state Frequency Per Channel: 22.2 megahertz operating channel Signal Voltage Rating Per Channel: 650.000 millivolts interstage preset Signal Data Type Per Channel:

Connection Type And Location:
Connector, plug bottom
Maximum Power Drain Rating:
105.0 milliwatts
Connection Contact Type And Quantity:
1 connector, plug external

Operating channel radio frequency err-100

NSN 5963-01-210-4038

A32200

Standardized Electronic Module - Page 2 of 2



External Dc Operating Voltage In Volts:
5.0 single voltage
Special Features:
Key code ybs
Special Markings:
Crystal oscillator
Test Data Document:
81349-mil-m-28787 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-m-28787/331 government specification
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
Yes - demil/mli
Fiig: