NSN 5963-01-211-6661



Standardized Electronic Module - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5963-01-211-6661
Overall Length:
2.620 inches
Overall Height:
1.950 inches
Overall Width:
0.290 inches
Environmental Protection:
Salt spray resistant and vibration
Operating Tempurature Range:
+0.0/+60.0 degrees celsius
Average Life Rating:
500.0
Storage Tempurature Range:
-62.0/+125.0 degrees celsius
Average Life Measurement:
Hours
Average Life Rating In Hours:
500.0
Basic Shape Style:
Rectangular or square
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
75.0 kilohertz operating channel
Signal Voltage Rating Per Channel:
5.000 volts any acceptable preset

Signal Data Type Per Channel:

Operating channel radio frequency err-100

Connection Type And Location:

Connector, plug bottom

Maximum Power Drain Rating:

1200.0 milliwatts

Connection Contact Type And Quantity:

1 connector, plug external

NSN 5963-01-211-6661

Fiig: A32200

Standardized Electronic Module - Page 2 of 2



External Dc Operating Voltage In Volts:	
4.5 single voltage and 18.0 single voltage	
Cognizant Service:	
Usn	
Special Markings:	
Timer, digital	
Test Data Document:	
81349-mil-m-28787 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification	
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).	
Type/model Designation:	
Ykv	
Specification Data:	
81349-mil-m-28787/274 government specification	
Shelf Life:	
N/a	
Unit Of Measure:	
	
Demilitarization:	
No	