

View Online at <https://aerobasegroup.com/nsn/5963-01-349-4308>

**Overall Length:**

5.740 inches

**Overall Height:**

0.290 inches

**Overall Width:**

1.950 inches

**Environmental Protection:**

Salt spray resistant and vibration

**Operating Temperature Range:**

+0.0/+60.0 degrees celsius

**Average Life Rating:**

500.0

**Storage Temperature Range:**

-62.0/+125.0 degrees celsius

**Average Life Measurement:**

Hours

**Average Life Rating In Hours:**

500.0

**Basic Shape Style:**

Rectangular or square

**Inclosure Type:**

Encased

**Operating Control Method:**

Automatic

**Installation Design:**

Module

**Control Type:**

Remote

**Circuit Construction Type:**

Solid state

**Signal Voltage Rating Per Channel:**

400.000 millivolts interstage preset500.000 millivolts interstage preset2.400 volts input preset and 4.500 volts interstage preset2.500 volts input preset and 4.500 volts interstage preset

**Signal Data Type Per Channel:**

1st output channel digital err-100 2nd output channel digital err-100 3rd output channel digital err-100 4th output channel digital err-100

**Connection Type And Location:**

Connector, plug bottom

**Connection Contact Type And Quantity:**

1 connector, plug external

**External Dc Operating Voltage In Volts:**

5.5 single voltage

**Special Features:**

Key code dgg

**Special Markings:**

Static random access memory module

**Test Data Document:**

81349-mil-m-28787 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Data:**

81349-mil-m-28787/366 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A32200