NSN 5965-00-013-7990

Electrical Headset - Page 1 of 2

Body Style:



View Online at https://aerobasegroup.com/nsn/5965-00-013-7990

| Headset, covered |
|--|
| Terminal Quantity: |
| 2 |
| Terminal Type: |
| Tab, solder lug |
| Impedance Rating In Ohms: |
| 275.0 |
| Terminal Location: |
| Internal |
| Headset Cord Length: |
| 24.0 inches |
| Earphone Element Type: |
| Dynamic |
| Channel Monitor Capability: |
| Any acceptable |
| Earphone Quantity: |
| 2 |
| Earphone Cap Material: |
| Rubber |
| Earphone Shell Material: |
| Plastic |
| |
| Earphone Cushion Material: |
| Earphone Cushion Material: Rubber foam, synthetic |
| • |
| Rubber foam, synthetic |
| Rubber foam, synthetic Earphone Interconnection Arrangement: |
| Rubber foam, synthetic Earphone Interconnection Arrangement: Single |
| Rubber foam, synthetic Earphone Interconnection Arrangement: Single Earphone Mounting Method: |
| Rubber foam, synthetic Earphone Interconnection Arrangement: Single Earphone Mounting Method: Screw plate on case back |
| Rubber foam, synthetic Earphone Interconnection Arrangement: Single Earphone Mounting Method: Screw plate on case back Headsetheight: |
| Rubber foam, synthetic Earphone Interconnection Arrangement: Single Earphone Mounting Method: Screw plate on case back Headsetheight: 5.125 inches |
| Rubber foam, synthetic Earphone Interconnection Arrangement: Single Earphone Mounting Method: Screw plate on case back Headsetheight: 5.125 inches Headsetwidth: |
| Rubber foam, synthetic Earphone Interconnection Arrangement: Single Earphone Mounting Method: Screw plate on case back Headsetheight: 5.125 inches Headsetwidth: 8.500 inches |
| Rubber foam, synthetic Earphone Interconnection Arrangement: Single Earphone Mounting Method: Screw plate on case back Headsetheight: 5.125 inches Headsetwidth: 8.500 inches Headsetdepth: |
| Rubber foam, synthetic Earphone Interconnection Arrangement: Single Earphone Mounting Method: Screw plate on case back Headsetheight: 5.125 inches Headsetwidth: 8.500 inches Headsetdepth: 3.250 inches |
| Rubber foam, synthetic Earphone Interconnection Arrangement: Single Earphone Mounting Method: Screw plate on case back Headsetheight: 5.125 inches Headsetwidth: 8.500 inches Headsetdepth: 3.250 inches Impedance Matching Device Type: |
| Rubber foam, synthetic Earphone Interconnection Arrangement: Single Earphone Mounting Method: Screw plate on case back Headsetheight: 5.125 inches Headsetwidth: 8.500 inches Headsetdepth: 3.250 inches Impedance Matching Device Type: Solid state |
| Rubber foam, synthetic Earphone Interconnection Arrangement: Single Earphone Mounting Method: Screw plate on case back Headsetheight: 5.125 inches Headsetwidth: 8.500 inches Headsetdepth: 3.250 inches Impedance Matching Device Type: Solid state Impedance Matching Device Location: |
| Rubber foam, synthetic Earphone Interconnection Arrangement: Single Earphone Mounting Method: Screw plate on case back Headsetheight: 5.125 inches Headsetwidth: 8.500 inches Headsetdepth: 3.250 inches Impedance Matching Device Type: Solid state Impedance Matching Device Location: Extension cord |
| Rubber foam, synthetic Earphone Interconnection Arrangement: Single Earphone Mounting Method: Screw plate on case back Headsetheight: 5.125 inches Headsetwidth: 8.500 inches Headsetdepth: 3.250 inches Impedance Matching Device Type: Solid state Impedance Matching Device Location: Extension cord Acoustic Sensitivity Reference Rating: |

NSN 5965-00-013-7990 Electrical Headset - Page 2 of 2



| Headset Connecting Cord Termination Location: |
|---|
| Reversible right-left |
| Signal Input Terminal Type: |
| Jack |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |

Fiig: A06800