NSN 5965-00-179-7762

Dynamic Microphone - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5965-00-179-7762 **Body Style:** Hand held Width: 2.500 inches Length: 4.594 inches **Mounting Method:** Clip Switch Type: Push **Accessory Components:** Cable Frequency Response Range In Hertz: +300.0 to 3500.0 Impedance Rating: 150.0 ohms **Output Sensitivity Rating In Decibels:** -125.0 **Output Sensitivity Rating Reference:** 10 dynes per sq centimeter **Operating Dc Voltage In Volts:** 24.0 **Polarity Connection:** Not required **Sound Pickup Directional Type:** Semidirectional **Noise Canceling Feature:** Not included **Support Stand:** Not included **Shock Mount:** Not provided **Electrical Connection Type:** Integral cord **Extended Cable Length:** 7.0 feet **Retracted Cable Length:** 2.5 feet **Cable Conductor Quantity:**

Operating Dc:

500.0 milliamperes

NSN 5965-00-179-7762

Dynamic Microphone - Page 2 of 2



Special Features:

Hand held microphone includes switch assembly, cable connector, hanger, and clothing clip; designed to be water resistant; used with military radios and public address systems

Height:

1.031 inches

Test Data Document:

81349-mil-e-55119 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-m-80d/u government specification

Fsc Application Data:

Heassets, handsets, microphones and speakers

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A06400