

NSN 5965-00-370-3855 Permanent Magnet Loudspeaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5965-00-370-3855 **Terminal Quantity:** 2 and 1 **Terminal Type:** Tab, solder lug and connector, plug **Overall Depth: 3.438** inches **Mounting Hole Diameter:** 0.250 inches **Angle Between Centerlines Of Mounting Holes In Deg:** 90.0 **Overall Diameter:** 6.125 inches **Connector Manufacturer Code:** Any acceptable **Connector Manufacturer Part Number:** Any acceptable **Frequency Response Tolerance In Decibels:** -4.0 to 4.0 **Accessory Components:** Cord Frequency Response Range In Hertz: +320.0 to 6000.0 **Power Rating:** 2.20 watts normal and 4.50 watts peak **Transducer Diameter:** 7.0 inches **Mounting Facility Quantity:**

Transducer Type:

Cone

Mounting Facility Circle Radius:

2.868 inches

Usage Design:

Indoor

Installation Design:

Nonportable

Impedance Rating In Ohms:

8.0 voice coil

Mounting Method:

Unthreaded hole

Style Designator:

Round

NSN 5965-00-370-3855

Permanent Magnet Loudspeaker - Page 2 of 2



Test Data Document:

| 81349-m | nil-d-9415 specification (includes | s engineering type bul | letins, brochures, etc., | that reflect specification | on type data in specification |
|----------|------------------------------------|-------------------------|--------------------------|----------------------------|-------------------------------|
| format; | excludes commercial catalogs, | industry directories, a | and similar trade public | ations, reflecting gene | ral type data on certain |
| environn | nental and performance require | ments and test conditi | ions that are shown as ' | "typical", "average", " | ", etc.). |

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A11600