NSN 5965-00-519-2934

Dynamic Microphone - Page 1 of 2

Body Style:



View Online at https://aerobasegroup.com/nsn/5965-00-519-2934

Hand held
Width:
2.500 inches
Length:
4.000 inches
Mounting Method:
Clip
Case Material:
Plastic
Switch Type:
Push
Accessory Components:
Cord
Frequency Response Range In Hertz:
+200.0 to 5000.0
Impedance Selection Method:
Integral switch
Impedance Rating:
150.0 ohms
Output Sensitivity Rating In Decibels:
-60.0
Output Sensitivity Rating Reference:
1 milliwatt per microbar
Polarity Connection:
Not required
Sound Pickup Directional Type:
Unidirectional
Noise Canceling Feature:
Included
Support Stand:
Support Stand.
Not included
Not included
Not included Shock Mount:
Not included Shock Mount: Not provided
Not included Shock Mount: Not provided Electrical Connection Type:
Not included Shock Mount: Not provided Electrical Connection Type: Integral cord
Not included Shock Mount: Not provided Electrical Connection Type: Integral cord Extended Cable Length:
Not included Shock Mount: Not provided Electrical Connection Type: Integral cord Extended Cable Length: 6.0 feet

NSN 5965-00-519-2934Dynamic Microphone - Page 2 of 2



Cable Shielded Conductor Quantity:
2
Special Features:
Supplied with a panel mounting bracket.
Height:
1.750 inches
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A06400