

View Online at <https://aerobasegroup.com/nsn/5965-00-669-6871>

**Frequency Rating:**

Between 0.3 kilohertz and 4.0 kilohertz

**Switch:**

Not included

**Dc Resistance Rating In Ohms:**

20.0

**Impedance Rating:**

25.0 ohms

**Earphone Element Type:**

Magnetic

**Earphone Quantity:**

1

**Controlling Agency:**

Roanwell corp

**Identifying Number:**

10037 drawing no.

**Operating Current Rating:**

60.0 milliamperes

**Earphone Impedance Rating:**

275.0 ohms

**Earphone Controlling Agency:**

Roanwell corp

**Earphone Identifying Number:**

10027 /5965-296-4044/ drawing no.

**Microphone Element Type:**

Carbon

**Output Level Rating:**

35 db above 1 mv

**Earphone Mounting Method:**

Suspended on adjustable headband

**Microphone Mounting Facility:**

Suspended on adjustable boom secured at receiver

**Connector Name:**

Plug

**Connector Identifying Number:**

U-161/u type no.

**Connector To Junction Cord Length:**

5.000 feet

**Connector Controlling Agency:**

Jetds

**Special Features:**

Receiver-microphone assembly may be removed from headband and used as a handset

**Test Data Document:**

81349-mil-h-12576 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T332-b