NSN 5965-00-686-6881

Carbon Microphone - Page 1 of 2

Test Data Document:



View Online at https://aerobasegroup.com/nsn/5965-00-686-6881 **Body Style:** Lapel Diameter: 1.125 inches **Mounting Method:** Cord **Connector Manufacturer Code:** 80063 **Accessory Components:** Connector Frequency Response Range In Hertz: +300.0/+4000.0 **Output Sensitivity Rating In Decibels:** 115.0 **Output Sensitivity Rating Reference:** 1 volt per microbar **Polarity Connection:** Not required **Sound Pickup Directional Type:** Unidirectional **Noise Canceling Feature:** Not included **Support Stand:** Not included **Shock Mount:** Not provided **Electrical Connection Type:** Integral cable **Connector Identification:** Pj-292 **Extended Cable Length: Cable Conductor Quantity: Cable Shielded Conductor Quantity: Operating Dc:** 60.0 milliamperes Height: 0.625 inches

81349-mil-m-22001 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 5965-00-686-6881

Carbon Microphone - Page 2 of 2



_			-		
C	hο	14		.ife	•
•			_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A06400