

View Online at <https://aerobasegroup.com/nsn/5965-00-854-0658>

Body Style:

Mask type

Width:

1.000 inches

Length:

2.375 inches

Mounting Method:

Bracket

Accessory Components:

Connector and cord

Frequency Response Range In Hertz:

+200.0/+6000.0

Impedance Rating:

7.0 ohms

Output Sensitivity Rating In Decibels:

74.0

Output Sensitivity Rating Reference:

0.0002 dynes per sq centimeter

Polarity Connection:

Not required

Sound Pickup Directional Type:

Unidirectional

Noise Canceling Feature:

Included

Support Stand:

Not included

Shock Mount:

Not provided

Electrical Connection Type:

Connector receptacle

Connector Identification:

U-179a/u

Extended Cable Length:

0.1 feet

Cable Conductor Quantity:

3

Cable Shielded Conductor Quantity:

1

Criticality Code Justification:

Feat

Special Features:

Support equipment, b-52 aircraft; aircraft, phantom f-4; aircraft, stratofortress b-52; aircraft, hercules c-130; aircraft, delta dart f-106; aircraft corsair a-7d; aircraft, thunderbolt two, a-10; aircraft, f-16; aircraft, t-38; support equipment, a-7 aircraft; support equipment, f-111 aircraft; support equipment, c-135 aircraft

Functional Description:

Used for voice communication. Used on mbu-5/p oxygen mask, which is used with an/aic-10 and an/aic-18.

Height:

1.750 inches

Test Data Document:

81349-mil-m-26542 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Fsc Application Data:

Headsets, handsets, microphones and speakers

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A06400