## NSN 5965-01-148-3396

Headset-microphone - Page 1 of 2

**Test Data Document:** 



View Online at https://aerobasegroup.com/nsn/5965-01-148-3396

Frequency Rating:
Between 0.3 kilohertz and 3.5 kilohertz
Switch:
Included
Dc Resistance Rating In Ohms:
24.0
Impedance Rating:
150.0 ohms
Earphone Element Type:
Dynamic
Earphone Quantity:
2
Controlling Agency:
Us army communications and electronics materiel readiness command
Identifying Number:
Se-c-889810 part no.
Earphone Impedance Rating:
1.0 kilohms
Earphone Controlling Agency:
Us army communications and electronics materiel readiness command
Earphone Identifying Number:
Sm-b-933877 part no.
Microphone Element Type:
Dynamic
Output Level Rating:
Minus 56 db at 1 khz output level
Earphone Mounting Method:
Suspended on headband
Microphone Mounting Facility:
Adapter fastened to left earphone
Connector Name:
Plug
Connector Identifying Number:
U-182/u type no.
Connector To Junction Cord Length:
12.763 feet
Connector Controlling Agency:
Jetds
Special Features:
Item consists of a headband type, dual earphone headset, a m-138/g microphone, toggle switch with neck and chest straps, and a cable
assembly: used with the an/yrc-12 radio set

81349-mil-h-83511 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

## NSN 5965-01-148-3396

Headset-microphone - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T332-b