

View Online at <https://aerobasegroup.com/nsn/5965-01-204-8505>

Frequency Rating:

Between 200.0 hertz and 6.0 kilohertz

Switch:

Not included

Dc Resistance Rating In Ohms:

5.0

Impedance Rating:

Between 4.0 ohms and 6.0 ohms

Earphone Element Type:

Dynamic

Earphone Quantity:

2

Controlling Agency:

Jan

Identifying Number:

M-101/aic type no.

Earphone Impedance Rating:

22.5 ohms

Earphone Controlling Agency:

Jan

Earphone Identifying Number:

H-143/aic type no.

Microphone Element Type:

Dynamic

Earphone Mounting Method:

Suspended on headband

Microphone Mounting Facility:

Strap

Connector Name:

Plug

Connector Identifying Number:

U-174/u type no.

Connector To Junction Cord Length:

1.167 feet

Connector Controlling Agency:

Jan

Special Features:

Attenuates noise in the range of 105 db through 125 db. The microphone element is inside a shield that is attached to the earcups with straps

Test Data Document:

81349-mil-h-87819 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T332-b

Mil-std (military Standard):

Mil-prf-87819 spec.