## NSN 5965-01-243-5493

Permanent Magnet Loudspeaker - Page 1 of 2



r emianem magnet zeraepeaner i age i er z
View Online at https://aerobasegroup.com/nsn/5965-01-243-5493
Terminal Quantity:
2
Terminal Type:
Quick disconnect, male
Overall Depth:
Between 0.885 inches and 0.895 inches
Overall Length:
2.005 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.672 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.672 inches
Overall Width:
2.005 inches
Mounting Hole Diameter:
Between 0.151 inches and 0.161 inches
Frequency Response Tolerance In Decibels:
-5.0/+5.0
Frequency Response Range In Hertz:
+350.0/+3500.0
Power Rating:
1.00 watts normal
Transducer Diameter:
0.820 inches
Transducer Length:
0.630 inches
Mounting Facility Quantity:
4
Transducer Type:
Cone
Usage Design:
Indoor
Installation Design:
Portable
Impedance Rating In Ohms:
Between 26.0 voice coil and 34.0 voice coil
Mounting Method:
Unthreaded hole
Style Designator:
Square

**Fsc Application Data:** 

Headsets, handsets, microphones and speakers

## NSN 5965-01-243-5493

Permanent Magnet Loudspeaker - Page 2 of 2



She	lf	I if	ρ.
~	•••		•

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A11600