## NSN 5965-01-243-5494



Permanent Magnet Loudspeaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5965-01-243-5494 **Terminal Quantity:** 2 **Terminal Type:** Tab, solder lug **Overall Depth:** 2.500 inches Center To Center Distance Between Mounting Facilities Parallel To Length: Between 6.178 inches and 6.218 inches **Center To Center Distance Between Mounting Facilities Parallel To Width:** Between 6.178 inches and 6.218 inches **Overall Width:** Between 6.042 inches and 6.082 inches **Overall Diameter:** Between 6.605 inches and 6.645 inches Frequency Response Tolerance In Decibels: -5.0/+5.0 Frequency Response Range In Hertz: +95.0/+7000.0 **Power Rating:** 9.00 watts peak **Mounting Facility Quantity: Transducer Type:** Cone **Usage Design:** Indoor and outdoor **Installation Design:** Nonportable Impedance Rating In Ohms: Between 6.8 voice coil and 9.2 voice coil **Mounting Method: Style Designator:** Round **Fsc Application Data:** Loudspeakers and loudspeaker microphone Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** No

## NSN 5965-01-243-5494

Permanent Magnet Loudspeaker - Page 2 of 2



Fiig:

A11600