Permanent Magnet Loudspeaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5965-01-425-1347

Terminal Quantity:
2
Terminal Type:
Tab, solder lug
Overall Depth:
2.000 inches
Overall Length:
5.281 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.938 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.938 inches
Overall Width:
5.281 inches
Frequency Response Range In Hertz:
+100.0/+8000.0
Power Rating:
10.00 watts peak
Voice Coil Diameter:
0.750 inches
Mounting Facility Quantity:
4
Transducer Type:
Cone
Usage Design:
Indoor
Installation Design:
Nonportable
Impedance Rating In Ohms:
3.2 voice coil
Mounting Method:
Unthreaded hole
Special Features:
All (assembly) parts of the loudspeaker are treated to be flame retardant
Style Designator:
Pin cushion
Supplementary Features:
Includes a 4.8 ounce ceramic magnet
Test Data Document:
39381-rs-426 (loudspeaker power) standard (includes industry or association star

39381-rs-426 (loudspeaker power) standard (includes industry or association standards, individual manufactureer standards, etc.).

Shelf Life:

N/a

Permanent Magnet Loudspeaker - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A11600