NSN 5970-00-051-9345

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-00-051-9345

Reliability Indicator: Not established **Tempurature Rating:** -55.0 degrees celsius and 225.0 degrees celsius **Environmental Protection:** Corrosion resistant and flame resistant and mildew resistant and solvent resistant and water resistant Main Body Wall Thickness: 0.070 inches after unrestricted recovery Main Bodylength: 2.020 inches after unrestricted recovery Main Body Small End Inside Diameter: 1.120 inches as supplied Main Body Large End Inside Diameter: 1.120 inches as supplied Distance From Bottom Of Shoulder To Large End Of Main Body: 1.100 inches after unrestricted recovery Distance From Top Of Shoulder To Small End Of Main Body: 0.510 inches after unrestricted recovery Min. Tensile Strength (psi): 1500 pounds per square inch **Special Features:** Two molding ports, 0.180 in. Diameter and 0.120 in. Dia Flexibility: Semirigid Color: Black Material: Plastic, polyolefin, rt-301, raychem corp Material: Plastic, polyolefin, rt-301, raychem corp **Style Designator:** Boot-straight **Dielectric Material Voltage Rating Per Unit Thickness:** 200.0 volts per military /0.001 inch/ Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No

Fiig:

A22500