## NSN 5970-00-068-2801

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-00-068-2801

| Reliability Indicator:  |
|---|
| Not established   |
| Distance From Centerline Of Main Body To End Of First Branch: |
| 0.760 inches after unrestricted recovery                      |
| Main Body Inside Diameter:                                    |
| 0.520 inches as supplied                                      |
| First Branch Inside Diameter:                                 |
| 0.260 inches as supplied                                      |
| Main Body Wall Thickness:                                     |
| 0.060 inches after unrestricted recovery                      |
| First Branch Wall Thickness:                                  |
| 0.040 inches after unrestricted recovery                      |
| Main Bodylength:  |
| 2.060 inches after unrestricted recovery                      |
| Angle Between Main Body And First Branch Centerlines In Deg:  |
| 90.0 after unrestricted recovery                              |
| Flexibility:  |
| Flexible  |
| Color:  |
| Any acceptable  |
| Material:   |
| Plastic, polyolefin   |
| Material:   |
| Plastic polyolefin  |
| Style Designator:   |
| Transition-t  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A22500  |
|   |
|   |