NSN 5970-00-181-0431

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-00-181-0431 **Reliability Indicator:** Not established **Environmental Protection:** Flame resistant and mildew resistant and solvent resistant and water resistant **Main Body Inside Diameter:** 2.190 inches as supplied First Branch Inside Diameter: 1.060 inches as supplied Distance From Intersecting Centerline Of Main Body To End Of First Branch: 3.660 inches after unrestricted recovery Main Body Wall Thickness: 0.180 inches after unrestricted recovery First Branch Wall Thickness: 0.100 inches after unrestricted recovery **Distance From Edge Of Main Body To Intersecting Centerlines:** 3.760 inches after unrestricted recovery Main Bodylength: 8.010 inches after unrestricted recovery Angle Between Main Body And First Branch Centerlines In Deg: 45.0 after unrestricted recovery Min. Tensile Strength (psi): 1500 pounds per square inch Flexibility: Flexible Color: Black Material: Rubber, neoprene, rt-501, raychem corp Material: Rubber, neoprene, rt-501, raychem corp **Style Designator:** Transition-45 degrees **Dielectric Material Voltage Rating Per Unit Thickness:** 200.0 volts per military /0.001 inch/ Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Fiig:

A22500