NSN 5970-00-237-5662

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-00-237-5662

Reliability Indicator:
Not established
Tempurature Rating:
-55.0 degrees celsius and 175.0 degrees celsius
Environmental Protection:
Corrosion resistant and flame resistant and mildew resistant and water resistant
Main Body Wall Thickness:
0.004 inches and 0.010 inches after unrestricted recovery
Main Bodylength:
0.235 inches and 0.285 inches after unrestricted recovery
Main Body Small End Inside Diameter:
0.150 inches after unrestricted recovery
Main Body Large End Inside Diameter:
0.245 inches and 0.275 inches after unrestricted recovery
Heat Shrinkage Rating In Percent:
50.0
Min. Tensile Strength (psi):
5000 pounds per square inch
Special Features:
Small end has lip
Flexibility:
Semirigid
Color:
Clear
Material:
Plastic, polyvinylidene fluoride, mil-i-23053/8
Material:
Plastic polyvinylidene fluoride
Style Designator:
Boot-straight
Dielectric Material Voltage Rating Per Unit Thickness:
800.0 volts per military /0.001 inch/
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A22500