NSN 5970-00-248-3544

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-00-248-3544

view Online at https://aerobasegroup.com/nsn/5970-00-246-3544
Reliability Indicator:
Not established
Environmental Protection:
Corrosion resistant and flame resistant and mildew resistant and solvent resistant and water resistant
Main Body Inside Diameter:
2.190 inches as supplied
First Branch Inside Diameter:
1.060 inches as supplied
Distance From Intersecting Centerline Of Main Body To End Of First Branch:
Any acceptable as supplied
Main Body Wall Thickness:
Any acceptable as supplied
First Branch Wall Thickness:
Any acceptable as supplied
Distance From Edge Of Main Body To Intersecting Centerlines:
Any acceptable as supplied
Main Bodylength:
Any acceptable as supplied
Angle Between Main Body And First Branch Centerlines In Deg:
Any acceptable as supplied
Min. Tensile Strength (psi):
1500 pounds per square inch
Flexibility:
Semirigid
Color:
Black
Material:
Plastic, polyolefin, rt-301, rayclad tubes inc
Material:
Plastic, polyolefin, rt-301, rayclad tubes inc
Style Designator:
Transition-45 degrees
Dielectric Material Voltage Rating Per Unit Thickness:
200.0 volts per military /0.001 inch/
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No

Fiig: A22500