

View Online at <https://aerobasegroup.com/nsn/5970-00-283-9968>

**Reliability Indicator:**

Not established

**Environmental Protection:**

Flame resistant and mildew resistant and solvent resistant and water resistant

**Distance From Centerline Of Main Body To End Of First Branch:**

Any acceptable as supplied

**Main Body Inside Diameter:**

0.270 inches after unrestricted recovery

**First Branch Inside Diameter:**

0.270 inches after unrestricted recovery

**Main Body Wall Thickness:**

0.060 inches as supplied

**First Branch Wall Thickness:**

0.060 inches after unrestricted recovery

**Main Bodylength:**

Any acceptable as supplied

**Angle Between Main Body And First Branch Centerlines In Deg:**

90.0 after unrestricted recovery

**Min. Tensile Strength (psi):**

1200 pounds per square inch

**Special Features:**

Includes mounting ports

**Flexibility:**

Flexible

**Color:**

Black

**Material:**

Rubber, neoprene, rt-501, rayclad tubes inc

**Material:**

Rubber, neoprene, rt-501, rayclad tubes inc

**Style Designator:**

Transition-t

**Dielectric Material Voltage Rating Per Unit Thickness:**

200.0 volts per military /0.001 inch/

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A22500