Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-00-630-6646

Wal Thickness: Any acceptable Delectric Withstanding Voltage In Volts: 7000.0 Reliability Indicator: Not established Inside Diameter: Between 0.129 inches and 0.141 inches Overall Length: Between 2.500 feet and 3.500 feet Tempurature Rating: 130.0 degrees celsius Coating Material: Vinyl or oleoresinous varnish Environmental Protection: Any acceptable Impregnation Material: Vinyl or oleoresinous varnish Environmental Protection: Nathritheria:		
Delectric Withstanding Voltage In Volts:         7000.0         Reliability Indicator:         Not established         Inside Diameter:         Between 0.129 inches and 0.141 inches         Overall Length:         Between 2.500 feet and 3.500 feet         Tempurature Rating:         130.0 degrees celsius         Coting Material:         Vinyl or oleoresinous varnish         Environmental Protection:         Any acceptable         Impregnation Material:         Vinyl or oleoresinous varnish         Flexibility:         Resible         Color:         Yellow         Material:         Glass braid, mil-3190, class b-a-1         Syle Designator:         Noschrinkable         Departure From Cited Document:         As and 8 awg size         Departure From Cited Document:         As mod yoolor         Shelf Life:         Na         Tot Measure:         T         Pacification or Standard:         No         Shelf Life:         Na         Shelf Life:         Na         Spillori Onele Could Document:	Wall Thickness:	
7000.0         Reliability Indicator:         Not established         Inside Diameter:         Between 0.129 inches and 0.141 inches         Overall Length:         Between 0.200 feet and 3.500 feet         Tempurature Rating:         130.0 degrees celsius         Coating Material:         Vinyl or olecresinous varnish         Enverior.2.000 feet and 3.500 feet         Impregnation Material:         Vinyl or olecresinous varnish         Flexible         Color:         Yellow         Material:         Glass braid, mil+3190, class b-a-1         Style Designator:         Norshrinkable         Departure From Cited Document:         As mod by color         Shelf Life:         Na         Na         Departure From Cited Document:         As mod by color         Shelf Life:         Na         Na         Fig:         Action:         No         Fig:         Action:         Brit Life:         No         Fig:         Action:         Brit Life:		
Reliability indicator:         Not established         Inside Diameter:         Between 0.129 inches and 0.141 inches         Overall Length:         Between 2.500 feet and 3.500 feet         Tempurature Rating:         130.0 degrees celsius         Coting Material:         Vinyl or oleoresinous varnish         Environmental Protection:         Any acceptable         Impegnation Material:         Vinyl or oleoresinous varnish         Flexiblity:         Plexible         Store:         Yellow         Material:         Glass braid, mil-i-3190, class b-a-1         Stype Designator:         Nonshrinkable         Specification Of Standard:         B-a-1 class and 8 awg size         Departure From Cited Document:         As mod by color         Shelf Life:         Na         Vind Of Measure:         To         To         District Material:         No         Store (Standard:         B-a-1 class and 8 awg size         Departure From Cited Document:         As mod by color         Store (Standard:         Na </th <th></th> <th></th>		
Not established         Inside Diameter:         Between 0.129 inches and 0.141 inches         Overall Length:         Between 2.500 feet and 3.500 feet         Tempurature Rating:         130.0 degrees celsius         Coating Material:         Vinyl or oleoresinous vanish         Environmental Protection:         Any acceptable         Impregnation Material:         Vinyl or oleoresinous vanish         Flexibility:         Flexibility:         Flexibility:         Glass braid, mil-i-3190, class b-a-1         Style Designator:         Nonshrinkable         Specification Or Standard:         As med by color         Material:         Otor Measure:         As med by color         Material:         Nashrinkable         Departure From Cited Document:         As med by color         Shell         Departure:         Pac         Not         Strip Designato:         Not         Strip Designato:         As med by color         Britification:         Na         Strip Designato:         Nota		
Inside Diameter: Between 0.129 inches and 0.141 inches Overall Length: Between 2.500 feet and 3.500 feet Tempurature Rating: 130.0 degrees celsius Coating Material: Vinyl or oleoresinous varnish Environmental Protection: Any acceptable Impregnation Material: Vinyl or oleoresinous varnish Flexibility: Flexible Color: Yellow Material: Glass braid, mil-i-3190, class b-a-1 Style Designator: Nonshrinkable Specification Or Standard: As mod by color Shelf Life: Na Material: Material: Color: Paparture From Cited Document: As mod by color Shelf Life: Na Flig: Az2500 Mil-stat (military Standard): Az2500		
Between 0.129 inches and 0.141 inches         Overall Length:         Between 2.500 feet and 3.500 feet         Tempurature Rating:         130.0 degrees celsius         Coating Material:         Vinyl or oleoresinous varnish         Environmental Protection:         Any acceptable         Impregnation Material:         Vinyl or oleoresinous varnish         Flexible         Color:         Yellow         Material:         Glass braid, mili-i3190, class b-a-1         Style Designator:         Nonshrinkable         Specification Or Standard:         Any acol         Departure From Cited Document:         Ans ond by color         Shelf Life:         Na         Termilitarization:         No         Fig:         A22500         Mil-stat(military Standard):		
Overall Length:Between 2.500 feet and 3.500 feetTempurature Rating:130.0 degrees celsiusCoating Material:Vinyl or celeoresinous varnishEnvironmental Protection:Any acceptableImregnation Material:Vinyl or oleoresinous varnishFlexibility:Flexibility:FlexibileColor:YellowMaterial:Glass braid, mil-i-3190, class b-a-1Syle Designator:NonshrinkableSpecification Or Standard:And by colorShell Life:NaUni Of Measure:NaMiltatzation:NoFig:A22500Mil-stat(military Standard):		
Between 2.500 feet and 3.500 feet <b>Tempurature Rating:</b> 130.0 degrees celsius <b>Coating Material:</b> Vinyl or oleoresinous varnish <b>Environmental Protection:</b> Any acceptable <b>Impregnation Material:</b> Vinyl or oleoresinous varnish <b>Flexibility:</b> Flexibile <b>Color:</b> Yellow <b>Material:</b> Glass braid, mil-i-3190, class b-a-1 <b>Style Designator:</b> Nonshrinkable <b>Departure From Cited Document:</b> As mod by color <b>Shelf Life:</b> Iva         No         Fig:         Az2500 <b>Mil-ist (military Standard):</b>		
Tempurature Rating:         130.0 degrees celsius         Coating Material:         Viryl or oleoresinous varnish         Environmental Protection:         Any acceptable         Impregnation Material:         Viryl or oleoresinous varnish         Flexibility:         Flexibility:         Flexibility:         Flexibility:         Viryl or oleoresinous varnish         Material:         Golor:         Yellow         Material:         Gass braid, mil-i-3190, class b-a-1         Style Designator:         Nonshrinkable         Specification Or Standard:         Ba-1 class and 8 awg size         Departure From Cited Document:         As mod by color         Shel Life:         Iva         Iva         Ponilitarization:         No         Fig:         Ap2500         Mil-stat(military Standard):		
130.0 degrees celsiusCoating Material:Vinyl or oleoresinous varnishEnvironmental Protection:Any acceptableImpregnation Material:Vinyl or oleoresinous varnishFlexibility:Flexibility:Riverial:Golor:YellowMaterial:Glass braid, mil-i-3190, class b-a-1Style Designator:NonshrinkableSpecification Or Standard:B-a-1 class and 8 awg sizeDeparture From Cited Document:As mod by colorSheft Life:NaDinit of Measure:-NoFig:A22500Mil-stal (military Standard):		
Coating Material:Vinyl or oleoresinous varnishEnvironmental Protection:Any acceptableImpregnation Material:Vinyl or oleoresinous varnishFlexibility:Flexibility:VallowMaterial:Glass braid, mil-i-3190, class b-a-1Style Designator:NonshrinkableSpecification Or Standard:B-a-1 class and 8 awg sizeDeparture From Cited Document:As mod by colorShelf Life:NaDinit of Measure:-NoFig:A22500Mil-sta (military Standard):	Tempurature Rating:	
Vinyl or oleoresinous varnish Environmental Protection: Any acceptable Impregnation Material: Vinyl or oleoresinous varnish Flexibility: Flexible Color: Yellow Material: Glass braid, mil-i-3190, class b-a-1 Style Designator: Noshrinkable Departure From Cited Document: As mod by color Shelf Life: N/a Dint Of Measure: - Demilitarization: No Flig: Az2500	130.0 degrees celsius	
Environmental Protection:         Any acceptable         Impregnation Material:         Vinyl or oleoresinous varnish         Flexibility:         Flexibility:         Flexible         Color:         Yellow         Material:         Glass braid, mil-i-3190, class b-a-1         Style Designator:         Nonstrinkable         Departure From Cited Document:         As mod by color         Shelf Life:         N/a         Demiltarization:         No         Fig:         A22500         Mil-std (military Standard):	Coating Material:	
Any acceptable         Impregnation Material:         Vinyl or oleoresinous varnish         Flexibility:         Flexible         Color:         Yellow         Material:         Glass braid, mil-i-3190, class b-a-1         Style Designator:         Nonshrinkable         Departure From Cited Document:         As mod by color         Shelf Life:         Na         In of Measure:         -         Pomiliatrization:         No         Fig:         Azso0         Mil-sciptic         Na         Dimiliatrization:         No         Fig:         Azso0         Maintain (military Standard):	Vinyl or oleoresinous varnish	
Impregnation Material:         Vinyl or oleoresinous varnish         Flexibility:         Flexible         Color:         Yellow         Material:         Glass braid, mil-i-3190, class b-a-1         Style Designator:         Nonshrinkable         Specification Or Standard:         B-a-1 class and 8 awg size         Departure From Cited Document:         As mod by color         Shelf Life:         Iva         Dimiltarization:         Fold         Age         Material:         Jose         Material:         Glass braid, mil-i-3190, class b-a-1         Style Designator:         Nonshrinkable         Specification Or Standard:         B-a-1 class and 8 awg size         Departure From Cited Document:         As mod by color         Shelf Life:         Na         Dit of Measure:         -         Pointiarization:         No         Fig:         Az2500         Mil-standard):	Environmental Protection:	
Vinyl or oleoresinous varnish Flexibility: Flexibility: Flexibile Color: Yellow Material: Glass braid, mil-i-3190, class b-a-1 Style Designator: Nonshrinkable Specification Or Standard: B-a-1 class and 8 awg size Departure From Cited Document: As mod by color Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: A22500 Mil-std (military Standard):	Any acceptable	
Flexibility:FlexibleFlexibleColor:YellowMaterial:Glass braid, mil-i-3190, class b-a-1Style Designator:NonshrinkableSpecification Or Standard:B-a-1 class and 8 awg sizeDeparture From Cited Document:As mod by colorShelf Life:N/aUnit Of Measure:Ponilitarization:NoFig:A22500Mil-std (military Standard):	Impregnation Material:	
FlexibleColor:YellowMaterial:Glass braid, mil-i-3190, class b-a-1Style Designator:NonshrinkableSpecification Or Standard:B-a-1 class and 8 awg sizeDeparture From Cited Document:As mod by colorShelf Life:N/aUnit Of Measure:-NoFig:Az2500Mil-std (military Standard):	Vinyl or oleoresinous varnish	
Color:YellowMaterial:Glass braid, mil-i-3190, class b-a-1Style Designator:NonshrinkableSpecification Or Standard:B-a-1 class and 8 awg sizeDeparture From Cited Document:As mod by colorShelf Life:N/aUnit Of Measure:-Penilitarization:NoFig:A22500Mil-std (military Standard):	Flexibility:	
Yellow Material: Glass braid, mil-i-3190, class b-a-1 Style Designator: Nonshrinkable Specification Or Standard: B-a-1 class and 8 awg size Departure From Cited Document: As mod by color Shelf Life: N/a Nothof Measure: Demilitarization: No Fig: A22500 Mil-std (military Standard):	Flexible	
Material:Glass braid, mil-i-3190, class b-a-1Style Designator:NonshrinkableSpecification Or Standard:B-a-1 class and 8 awg sizeDeparture From Cited Document:As mod by colorShelf Life:N/aUnit Of Measure:Penilitarization:NoFig:A22500Mil-std (military Standard):	Color:	
Glass braid, mil-i-3190, class b-a-1 Style Designator: Nonshrinkable Specification Or Standard: B-a-1 class and 8 awg size Departure From Cited Document: As mod by color Shelf Life: N/a Via Unit Of Measure: Demilitarization: No Fig: A22500 Mil-std (military Standard):	Yellow	
Style Designator:NonshrinkableSpecification Or Standard:B-a-1 class and 8 awg sizeDeparture From Cited Document:As mod by colorShelf Life:N/aUnit Of Measure:-Pemilitarization:NoFig:A22500Mil-std (military Standard):	Material:	
Nonshrinkable Specification Or Standard: B-a-1 class and 8 awg size Departure From Cited Document: As mod by color Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: A22500 Mil-std (military Standard):	Glass braid, mil-i-3190, class b-a-1	
Specification Or Standard:B-a-1 class and 8 awg sizeDeparture From Cited Document:As mod by colorShelf Life:N/aUnit Of Measure:Demilitarization:NoFiig:A22500Mil-std (military Standard):	Style Designator:	
B-a-1 class and 8 awg size Departure From Cited Document: As mod by color Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig: A22500 Mil-std (military Standard):	Nonshrinkable	
Departure From Cited Document:   As mod by color   Shelf Life:   N/a   Unit Of Measure:     Demilitarization:   No   Fig:   A22500   Mil-std (military Standard):	Specification Or Standard:	
As mod by color Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A22500 Mil-std (military Standard):	B-a-1 class and 8 awg size	
Shelf Life:N/aUnit Of Measure:Demilitarization:NoFig:A22500Mil-std (military Standard):	Departure From Cited Document:	
N/aUnit Of Measure:Demilitarization:NoFiig:A22500Mil-std (military Standard):	As mod by color	
Unit Of Measure:     Demilitarization:   No   Fig:   A22500   Mil-std (military Standard):	Shelf Life:	
Demilitarization: No Fiig: A22500 Mil-std (military Standard):	N/a	
Demilitarization: No Fiig: A22500 Mil-std (military Standard):	Unit Of Measure:	
No Fiig: A22500 Mil-std (military Standard):		
Fiig: A22500 Mil-std (military Standard):	Demilitarization:	
A22500 Mil-std (military Standard):	No	
Mil-std (military Standard):	Fiig:	
	A22500	
Mil-i-3190 spec.	Mil-std (military Standard):	
	Mil-i-3190 spec.	