Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-00-877-8465

D 1.1	
	thstanding Voltage In Volts:
200.0	
Reliability Inc	
Not establishe	
Tempurature	
-55.0 degrees	
	al Protection:
	nt and mildew resistant and solvent resistant and water resistant
-	/all Thickness:
	after unrestricted recovery
Main Bodyle	
	after unrestricted recovery
-	mall End Inside Diameter:
0.710 inches	
-	arge End Inside Diameter:
1.180 inches	
Distance Fro	m Bottom Of Shoulder To Large End Of Main Body:
1.730 inches	after unrestricted recovery
Distance Fro	m Top Of Shoulder To Small End Of Main Body:
0.870 inches	after unrestricted recovery
Min. Tensile	Strength (psi):
1500 pounds	per square inch
Flexibility:	
Flexible	
Color:	
Black	
Material:	
Rubber, neop	rene, rt-501 raychem corp
Material:	
Rubber, neop	rene, rt-501 raychem corp
Style Design	ator:
Boot-straight	
Shelf Life:	
N/a	
Unit Of Meas	ure:
Demilitarizati	ion:
No	
Fiig:	
A22500	