## NSN 5970-00-904-2491

Special Purpose Electrical Insulation Sleeving - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5970-00-904-2491

View Online at https://aerobasegroup.com/nsn/5970-00-904-2491
Dielectric Withstanding Voltage In Volts:
200.0
Reliability Indicator:
Not established
Environmental Protection:
Corrosion resistant and flame resistant and mildew resistant and solvent resistant and water resistant
Large End Wall Thickness Of Main Body:
0.130 inches after unrestricted recovery
Small End Wall Thickness Of Main Body:
0.130 inches after unrestricted recovery
Distance From Intersecting Centerlines To Edge Of Small End:
Any acceptable as supplied
Distance From Centerline Of Small End To Edge Of Large End:
Any acceptable as supplied
Main Body Small End Inside Diameter:
2.040 inches as supplied
Main Body Large End Inside Diameter:
2.040 inches as supplied
Distance From Top Of Shoulder To Small End Of Main Body:
Any acceptable as supplied
Angle Between Large End And Small End Centerlines In Deg:
90.0 after unrestricted recovery
Min. Tensile Strength (psi):
1500 pounds per square inch
Flexibility:
Semirigid
Height:
Any acceptable as supplied
Color:
Black
Material:
Plastic, polyolefin
Material:
Plastic polyolefin
Style Designator:
Boot-90 degrees
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:

No

## NSN 5970-00-904-2491

Special Purpose Electrical Insulation Sleeving - Page 2 of 2



Fiig:

A22500