NSN 5970-00-927-7295

Fiig: A22500

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-00-927-7295 **Reliability Indicator:** Not established **Tempurature Rating:** -55.0 degrees celsius **Environmental Protection:** Corrosion resistant and flame resistant and mildew resistant and solvent resistant and water resistant Main Body Wall Thickness: 0.130 inches after unrestricted recovery Main Bodylength: 5.130 inches after unrestricted recovery Main Body Small End Inside Diameter: 2.040 inches as supplied Main Body Large End Inside Diameter: 2.040 inches as supplied Distance From Bottom Of Shoulder To Large End Of Main Body: 2.550 inches after unrestricted recovery Distance From Top Of Shoulder To Small End Of Main Body: 1.650 inches after unrestricted recovery Min. Tensile Strength (psi): 1500 pounds per square inch **Special Features:** Includes two molding ports 0.180 in. Diameter and 0.120 in. Dia Flexibility: Semirigid Color: Black Material: Plastic, polyolefin, rt-301, raychem corporation or plastic, polyolefin, mpp-262, 3m co Material: Plastic, polyolefin, rt-301, raychem corporation or plastic, polyolefin, mpp-262, 3m co **Style Designator:** Boot-straight **Dielectric Material Voltage Rating Per Unit Thickness:** 200.0 volts per military /0.001 inch/ Shelf Life: N/a **Unit Of Measure: Demilitarization:** No