

View Online at <https://aerobasegroup.com/nsn/5970-01-004-6355>

Dielectric Withstanding Voltage In Volts:

500.0

Reliability Indicator:

Not established

Overall Length:

Any acceptable

Temperature Rating:

-55.0 degrees celsius and 135.0 degrees celsius

Coating Material:

Any acceptable

Environmental Protection:

Corrosion resistant and water resistant and high temp

Expanded Inside Diameter:

0.187 inches

Recovered Inside Diameter:

0.093 inches

Recovered Wall Thickness:

0.020 inches

Heat Shrinkage Rating In Percent:

50.0

Impregnation Material:

Any acceptable

Min. Tensile Strength (psi):

1500 pounds per square inch

Flexibility:

Flexible

Color:

Clear

Material:

Plastic, polyolefin, mil-i-23053/5, class 2

Style Designator:

Shrinkable

Test Data Document:

81349-mili23053 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Or Standard:

2 class

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A22500