# NSN 5970-01-020-3414

Special Purpose Electrical Insulation Sleeving - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5970-01-020-3414

Tem	purature	Rating:

-65.0 degrees celsius and 136.0 degrees celsius

#### **Environmental Protection:**

Corrosion resistant and oil resistant and ozone resistant and solvent resistant and water resistant

## **Main Body Inside Diameter:**

0.900 inches as supplied

#### First Branch Inside Diameter:

0.330 inches as supplied

#### **Second Branch Inside Diameter:**

0.330 inches as supplied

## **Third Branch Inside Diameter:**

0.330 inches as supplied

#### Main Body Wall Thickness:

0.120 inches after unrestricted recovery

#### **First Branch Wall Thickness:**

0.070 inches after unrestricted recovery

#### **Second Branch Wall Thickness:**

0.070 inches after unrestricted recovery

#### **Third Branch Wall Thickness:**

0.070 inches after unrestricted recovery

# Main Bodylength:

2.840 inches as supplied

## Min. Tensile Strength (psi):

1000 pounds per square inch

# **Special Features:**

Supplied with sealant

# Flexibility:

Flexible

# Color:

Black

## Material:

Plastic, polyolefin

# Material:

Plastic polyolefin

# Style Designator:

Transition-1 to 3 cables

# **Dielectric Material Voltage Rating Per Unit Thickness:**

275.0 volts per military /0.001 inch/

# Shelf Life:

N/a

#### **Unit Of Measure:**

--

# NSN 5970-01-020-3414

Special Purpose Electrical Insulation Sleeving - Page 2 of 2



Demilitarization:

No

Fiig:

A22500