Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-035-6283

Any	v acceptable
Ter	npurature Rating:
-55	.0 degrees celsius
Env	vironmental Protection:
Cor	rrosion resistant and flame resistant and mildew resistant and solvent resistant and water resistant
Lar	ge End Wall Thickness Of Main Body:
0.1	10 inches after unrestricted recovery
Ма	in Body Wall Thickness:
0.1	10 inches after unrestricted recovery
Mai	in Bodylength:
4.5	00 inches as supplied
Ма	in Body Large End Inside Diameter:
2.0	00 inches as supplied
Mir	n. Tensile Strength (psi):
150	00 pounds per square inch
Fle	xibility:
Ser	nirigid
Col	lor:
Bla	ck
Ma	terial:
Pla	stic, polyolefin, rt-301, raychem corp
Ma	terial:
Pla	stic, polyolefin, rt-301, raychem corp
Sty	le Designator:
Boo	pt-straight
Die	electric Material Voltage Rating Per Unit Thickness:
200	0.0 volts per military /0.001 inch/
She	elf Life:
N/a	l
Uni	it Of Measure:
Dei	militarization:
No	
Fiiç	g:
A22	2500