NSN 5970-01-041-5124

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-041-5124

200.0

Environmental Protection:

Flame resistant and mildew resistant and solvent resistant and water resistant

Large End Wall Thickness Of Main Body:

0.050 inches after unrestricted recovery

Small End Wall Thickness Of Main Body:

0.050 inches after unrestricted recovery

Distance From Intersecting Centerlines To Edge Of Small End:

0.840 inches after unrestricted recovery

Distance From Centerline Of Small End To Edge Of Large End:

0.650 inches after unrestricted recovery

Main Body Small End Inside Diameter:

0.460 inches as supplied

Main Body Large End Inside Diameter:

0.540 inches as supplied

Distance From Top Of Shoulder To Small End Of Main Body:

0.240 inches after unrestricted recovery

Angle Between Large End And Small End Centerlines In Deg:

90.0 after unrestricted recovery

Min. Tensile Strength (psi):

1800 pounds per square inch

Flexibility:

Flexible

Height:

0.890 inches after unrestricted recovery

Color:

Black

Material:

Rubber, synthetic, rt-1312, raychem corp

Material:

Rubber, synthetic, rt-1312, raychem corp

Style Designator:

Boot-90 degrees

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A22500