NSN 5970-01-069-7556

Standoff Insulator - Page 1 of 1

No Fiig: A007a0



View Online at https://aerobasegroup.com/nsn/5970-01-069-7556 **Identification Code Color:** White **Outside Diameter:** 0.500 inches **Overall Height:** 0.750 inches **Dielectric Material Voltage Rating Per Mil Thickness In Volts:** 249.0 **Mounting Facility Type And Quantity:** 1 threaded hole **Screw Thread Series Designator And Location:** Mounting facility unc err-100 err-100 **Thread Length And Location:** 0.250 mounting facility inches err-100 err-100 Screw Thready Qty Per Inch (tpi) And Location: 32 mounting facility err-100 err-100 **Screw Thread Diameter And Location:** 0.164 electrical termination inches err-100 err-100 **Thread Class And Location:** 2b mounting facility err-100 err-100 **Material And Location:** ceramic, mil-i-10, grade I422 **Surface Treatment And Location:** glazed **Style Designator:** Pillar **Test Data Document:** 81349-mil-i-23264/1 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Dielectric Material Voltage Rating Per Unit Thickness:** 249.0 volts per military /0.001 inch/ Shelf Life: N/a **Unit Of Measure: Demilitarization:**