# NSN 5970-01-079-1503

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-079-1503

# **Tempurature Rating:**

-55.0 degrees celsius

#### **Environmental Protection:**

Corrosion resistant and flame resistant and mildew resistant and solvent resistant and water resistant

## **Main Body Inside Diameter:**

1.060 inches as supplied

#### **First Branch Inside Diameter:**

0.520 inches as supplied

## **Distance From Intersecting Centerline Of Main Body To End Of First Branch:**

1.680 inches after unrestricted recovery

#### Main Body Wall Thickness:

0.100 inches after unrestricted recovery

# First Branch Wall Thickness:

0.060 inches after unrestricted recovery

### **Distance From Edge Of Main Body To Intersecting Centerlines:**

1.660 inches after unrestricted recovery

## Main Bodylength:

3.540 inches after unrestricted recovery

# Angle Between Main Body And First Branch Centerlines In Deg:

45.0 after unrestricted recovery

# Min. Tensile Strength (psi):

1200 pounds per square inch

#### **Special Features:**

Main body id reduced in size at y-shaped end

## Flexibility:

Flexible

# Color:

Black

#### Material:

Plastic, polyolefin, rt-1304, raychem corp

#### Material:

Plastic, polyolefin, rt-1304, raychem corp

# **Style Designator:**

Transition-45 degrees

#### Shelf Life:

N/a

#### **Unit Of Measure:**

--

## Demilitarization:

No

#### Fiig:

A22500