

View Online at <https://aerobasegroup.com/nsn/5970-01-110-3770>

**Temperature Rating:**

-55.0 degrees celsius

**Environmental Protection:**

Flame resistant and mildew resistant and solvent resistant and water resistant

**Main Body Wall Thickness:**

0.070 inches after unrestricted recovery

**Main Bodylength:**

2.920 inches after unrestricted recovery

**Main Body Small End Inside Diameter:**

0.220 inches as supplied

**Main Body Large End Inside Diameter:**

1.030 inches as supplied

**Distance From Bottom Of Shoulder To Large End Of Main Body:**

0.480 inches after unrestricted recovery

**Min. Tensile Strength (psi):**

1800 pounds per square inch

**Special Features:**

Large end has lip; wall thk tapers from large end of main body to 0.045 in. After recovery small end; molding ports included

**Flexibility:**

Flexible

**Color:**

Black

**Material:**

Rubber, synthetic, mil-r-46846, ty iii, class 2 or rubber, viton rt-1312, raychem corp

**Material:**

Rubber, synthetic, mil-r-46846, ty iii, class 2 or rubber, viton rt-1312, raychem corp

**Style Designator:**

Boot-straight-long

**Dielectric Material Voltage Rating Per Unit Thickness:**

200.0 volts per military /0.001 inch/

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A22500