

View Online at <https://aerobasegroup.com/nsn/5970-01-132-9964>

Reliability Indicator:

Not established

Overall Length:

Any acceptable

Tempurature Rating:

-55.0 degrees celsius and 135.0 degrees celsius

Environmental Protection:

Corrosion resistant and flame resistant and mildew resistant and water resistant

Expanded Inside Diameter:

0.125 inches

Recovered Inside Diameter:

0.062 inches

Recovered Wall Thickness:

Between 0.017 inches and 0.023 inches

Heat Shrinkage Rating In Percent:

50.0

Min. Tensile Strength (psi):

1500 pounds per square inch

Flexibility:

Flexible

Color:

Clear

Material:

Plastic, polyolefin, mil-i-23053/5, class 1

Material:

Plastic cross-linked polyolefin

Style Designator:

Shrinkable

Test Data Document:

81349-mil-i-23053 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Dielectric Material Voltage Rating Per Unit Thickness:

500.0 volts per military /0.001 inch/

Specification Data:

81349-mil-i-23053/5 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A22500