

View Online at <https://aerobasegroup.com/nsn/5970-01-132-9964>

**Reliability Indicator:**

Not established

**Overall Length:**

Any acceptable

**Tempurature Rating:**

-55.0 degrees celsius and 135.0 degrees celsius

**Environmental Protection:**

Corrosion resistant and flame resistant and mildew resistant and water resistant

**Expanded Inside Diameter:**

0.125 inches

**Recovered Inside Diameter:**

0.062 inches

**Recovered Wall Thickness:**

Between 0.017 inches and 0.023 inches

**Heat Shrinkage Rating In Percent:**

50.0

**Min. Tensile Strength (psi):**

1500 pounds per square inch

**Flexibility:**

Flexible

**Color:**

Clear

**Material:**

Plastic, polyolefin, mil-i-23053/5, class 1

**Material:**

Plastic cross-linked polyolefin

**Style Designator:**

Shrinkable

**Test Data Document:**

81349-mil-i-23053 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Dielectric Material Voltage Rating Per Unit Thickness:**

500.0 volts per military /0.001 inch/

**Specification Data:**

81349-mil-i-23053/5 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A22500