# NSN 5970-01-155-4032

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-155-4032

Tempurature	Rating:
-------------	---------

-40.0 degrees celsius and 125.0 degrees celsius

#### **Environmental Protection:**

Corrosion resistant and flame resistant and mildew resistant and solvent resistant and water resistant

# Main Body Wall Thickness:

0.070 inches after unrestricted recovery

#### Main Bodylength:

1.500 inches after unrestricted recovery

## Main Body Small End Inside Diameter:

0.920 inches as supplied

#### Main Body Large End Inside Diameter:

0.920 inches as supplied

#### Distance From Bottom Of Shoulder To Large End Of Main Body:

0.830 inches after unrestricted recovery

#### Distance From Top Of Shoulder To Small End Of Main Body:

0.400 inches after unrestricted recovery

## Min. Tensile Strength (psi):

1200 pounds per square inch

#### **Special Features:**

Inside adhesive coated; large end has lip and circular ridge inside

# Flexibility:

Flexible

# Color:

Black

#### Material:

Plastic, polylefin rt-1304, raychem corp

# Material:

Plastic, polylefin rt-1304, raychem corp

# **Style Designator:**

Boot-straight

# **Dielectric Material Voltage Rating Per Unit Thickness:**

200.0 volts per military /0.001 inch/

# Shelf Life:

N/a

#### **Unit Of Measure:**

#### **Demilitarization:**

No

# Fiig:

A22500