Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-165-8844

Tempurature R	ating:
-55.0 degrees ce	elsius
Environmental	Protection:
Corrosion resista	ant and flame resistant and mildew resistant and solvent resistant and water resistan
Large End Wall	Thickness Of Main Body:
0.060 inches af	ter unrestricted recovery
Small End Wall	Thickness Of Main Body:
0.060 inches af	ter unrestricted recovery
Main Body Sma	all End Inside Diameter:
1.500 inches as	supplied
Main Body Larg	ge End Inside Diameter:
1.500 inches as	supplied
Distance From	Top Of Shoulder To Small End Of Main Body:
0.420 inches aff	ter unrestricted recovery
Min. Tensile St	rength (psi):
1500 pounds pe	r square inch
Special Feature	25:
Large end has li	p; inside adhesive coated
Flexibility:	
Semirigid	
Color:	
Black	
Material:	
Plastic, polyolef	in, rt-301, raychem corp
Material:	
Plastic, polyolef	in, rt-301, raychem corp
Dielectric Mate	rial Voltage Rating Per Unit Thickness:
200.0 volts per r	nilitary /0.001 inch/
Shelf Life:	
N/a	
Unit Of Measur	e:
Demilitarization	1:
No	
Fiig:	
A22500	