NSN 5970-01-165-8846

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-165-8846

_				_		
Т	am	niii	ratii	ro R	≀atin	u.
	CIII	vui	atu	161	\auii	ч.

-65.0 degrees fahrenheit and 300.0 degrees fahrenheit

Environmental Protection:

Flame resistant and water resistant

Main Body Wall Thickness:

0.080 inches after unrestricted recovery

Main Bodylength:

3.150 inches after unrestricted recovery

Main Body Small End Inside Diameter:

1.850 inches as supplied

Main Body Large End Inside Diameter:

1.850 inches as supplied

Distance From Bottom Of Shoulder To Large End Of Main Body:

1.630 inches after unrestricted recovery

Distance From Top Of Shoulder To Small End Of Main Body:

0.820 inches after unrestricted recovery

Min. Tensile Strength (psi):

1500 pounds per square inch

Special Features:

Inside adhesive coated; large end has lip

Flexibility:

Semirigid

Color:

Black

Material:

Plastic, polyolefin, rt-301, raychem corp

Material:

Plastic, polyolefin, rt-301, raychem corp

Style Designator:

Boot-straight

Dielectric Material Voltage Rating Per Unit Thickness:

200.0 volts per military /0.001 inch/

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A22500