Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-165-8846

Tempurature Rating: -65.0 degrees fahrenheit and 300.0 degrees fahrenheit **Environmental Protection:** Flame resistant and water resistant Main Body Wall Thickness: 0.080 inches after unrestricted recovery Main Bodylength: 3.150 inches after unrestricted recovery Main Body Small End Inside Diameter: 1.850 inches as supplied Main Body Large End Inside Diameter: 1.850 inches as supplied Distance From Bottom Of Shoulder To Large End Of Main Body: 1.630 inches after unrestricted recovery Distance From Top Of Shoulder To Small End Of Main Body: 0.820 inches after unrestricted recovery Min. Tensile Strength (psi): 1500 pounds per square inch **Special Features:** Inside adhesive coated; large end has lip Flexibility: Semirigid Color: Black Material: Plastic, polyolefin, rt-301, raychem corp Material: Plastic, polyolefin, rt-301, raychem corp Style Designator: Boot-straight **Dielectric Material Voltage Rating Per Unit Thickness:** 200.0 volts per military /0.001 inch/ Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:

A22500