NSN 5970-01-167-7641

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-167-7641 **Tempurature Rating:** -55.0 degrees celsius **Environmental Protection:** Corrosion resistant and flame resistant and mildew resistant and water resistant **Distance From Centerline Of Main Body To End Of First Branch:** 2.360 inches after unrestricted recovery Main Body Inside Diameter: 1.060 inches as supplied **First Branch Inside Diameter:** 1.060 inches as supplied Main Body Wall Thickness: 0.100 inches after unrestricted recovery First Branch Wall Thickness: 0.100 inches after unrestricted recovery Main Bodylength: 4.730 inches after unrestricted recovery Angle Between Main Body And First Branch Centerlines In Deg: 90.0 after unrestricted recovery Min. Tensile Strength (psi): 1500 pounds per square inch **Special Features:** Inside adhesive coated Flexibility: Semirigid Color: Black Material: Plastic, polyolefin, rt-301, raychem corp Material: Plastic, polyolefin, rt-301, raychem corp **Style Designator:** Transition-t **Dielectric Material Voltage Rating Per Unit Thickness:** 200.0 volts per military /0.001 inch/ Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

Fiig:

A22500