NSN 5970-01-196-0125

Special Purpose Electrical Insulation Sleeving - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5970-01-196-0125

Tempurature Rating:

-55.0 degrees celsius

Environmental Protection:

Corrosion resistant and flame resistant and mildew resistant and solvent resistant and water resistant

Large End Wall Thickness Of Main Body:

0.060 inches after unrestricted recovery

Small End Wall Thickness Of Main Body:

0.045 inches after unrestricted recovery

Main Bodylength:

4.880 inches after unrestricted recovery

Main Body Small End Inside Diameter:

1.010 inches as supplied

Main Body Large End Inside Diameter:

1.010 inches as supplied

Distance From Top Of Shoulder To Small End Of Main Body:

3.900 inches after unrestricted recovery

End Largest Diameter:

0.600 inches after unrestricted recovery

Min. Tensile Strength (psi):

1200 pounds per square inch

Lip Height:

0.120 inches after unrestricted recovery

Lip Width:

0.040 inches after unrestricted recovery

Flexibility:

Flexible

Height:

0.780 inches after unrestricted recovery

Color:

Black

Material:

Plastic, polyolefin, rt-1304, raychem corp

Material:

Plastic, polyolefin, rt-1304, raychem corp

Style Designator:

Boot-90 degrees

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 5970-01-196-0125

Special Purpose Electrical Insulation Sleeving - Page 2 of 2



Fiig:

A22500