# NSN 5970-01-203-0444

Special Purpose Electrical Insulation Sleeving - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5970-01-203-0444

## **Tempurature Rating:**

-55.0 degrees celsius and 125.0 degrees celsius

#### **Environmental Protection:**

Flame resistant and mildew resistant and water resistant

## Large End Wall Thickness Of Main Body:

0.050 inches after unrestricted recovery

#### Small End Wall Thickness Of Main Body:

0.050 inches after unrestricted recovery

#### Distance From Intersecting Centerlines To Edge Of Small End:

0.840 inches after unrestricted recovery

#### Distance From Centerline Of Small End To Edge Of Large End:

0.650 inches after unrestricted recovery

#### Main Body Small End Inside Diameter:

0.400 inches as supplied

#### **Main Body Large End Inside Diameter:**

0.980 inches as supplied

## Distance From Top Of Shoulder To Small End Of Main Body:

0.230 inches after unrestricted recovery

# Angle Between Large End And Small End Centerlines In Deg:

90.0 after unrestricted recovery

# Min. Tensile Strength (psi):

1500 pounds per square inch

#### **Special Features:**

Inside coated with raychem s1048 adhesive

# Flexibility:

Semirigid

# Height:

0.890 inches after unrestricted recovery

#### Color:

Black

#### Material:

Plastic, polyolefin

# Material:

Plastic polyolefin

# Style Designator:

Boot-90 degrees

# **Dielectric Material Voltage Rating Per Unit Thickness:**

200.0 volts per military /0.001 inch/

# Shelf Life:

N/a

#### **Unit Of Measure:**

--

# NSN 5970-01-203-0444

Special Purpose Electrical Insulation Sleeving - Page 2 of 2



Demilitarization:

No

Fiig:

A22500