NSN 5970-01-203-7647

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-203-7647
Tempurature Rating:
-55.0 degrees celsius
Environmental Protection:
Corrosion resistant and flame resistant and mildew resistant and solvent resistant and water resistant
Distance From Intersecting Centerlines To Edge Of Small End:
1.020 inches after unrestricted recovery
Distance From Centerline Of Small End To Edge Of Large End:
0.600 inches after unrestricted recovery
Main Body Wall Thickness:
0.040 inches after unrestricted recovery
Main Body Small End Inside Diameter:
0.630 inches as supplied
Main Body Large End Inside Diameter:
0.800 inches after unrestricted recovery
Min. Tensile Strength (psi):
1200 pounds per square inch
Special Features:
Inside adhesive coated
Flexibility:
Flexible
Color:
Black
Material:
Plastic, polyolefin, mil-i-81765/1, type ii or plastic, polyolefin, rt-1304, raychem corp
Material:
Plastic, polyolefin, mil-i-81765/1, type ii or plastic, polyolefin, rt-1304, raychem corp
Style Designator:
Boot-rectangular-90 degrees
Dielectric Material Voltage Rating Per Unit Thickness:
200.0 volts per military /0.001 inch/
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A22500