NSN 5970-01-219-3948

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-219-3948 **Reliability Indicator:** Not established **Tempurature Rating:** -55.0 degrees celsius and 125.0 degrees celsius **Environmental Protection:** Solvent resistant Main Body Inside Diameter: 0.780 inches after unrestricted recovery **First Branch Inside Diameter:** 0.520 inches after unrestricted recovery **Second Branch Inside Diameter:** 0.520 inches after unrestricted recovery **Distance From Intersecting Centerline Of Main Body To End Of First Branch:** 1.600 inches after unrestricted recovery Main Body Wall Thickness: 0.040 inches after unrestricted recovery First Branch Wall Thickness: 0.040 inches after unrestricted recovery **Second Branch Wall Thickness:** 0.040 inches after unrestricted recovery **Distance From Edge Of Main Body To Intersecting Centerlines:** 1.600 inches after unrestricted recovery Min. Tensile Strength (psi): 1000 pounds per square inch Flexibility: Flexible Color: Tan Material: Plastic, vinyl chloride polymer Material: Plastic polyvinyl chloride **Style Designator:** Transition-y Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No

Fiig:

A22500